



FDEP Automated Data Evaluation

Southeast Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **660-27119-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Tanker Tru

Sample Date: January 5, 2009

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Cyanide, Total	0.005	U	mg/L
Sulfide	4.8		mg/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 1 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27119-2**

Matrix: W

Well Type: OT - Other

Monitoring Site: S.E. Tanker Tru

Sample Date: January 6, 2009

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

Cyanide, Total	0.005	I	mg/L
----------------	-------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Sulfide	1.9		mg/L
---------	-----	--	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24
rev. (07/01/1999)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 2 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27151-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP

Sample Date: January 7, 2009

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
Arsenic	6.3	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 4 ug/L
Chromium	8.9	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Lead	2	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 2 ug/L
Mercury	0.075	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 200 ug/L Detection Limit: 0.072 ug/L
Silver	2.6	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999) Criterion: 5000 ug/L Detection Limit: 1 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichlorobenzene	0.75	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Diphenylhydrazine	3.6	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,3-Dichlorobenzene	0.59	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,3,7,8-TCDD	0.00001	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dichlorophenol	0.89	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,4-Dimethylphenol	1.8	I	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Thursday, March 12, 2009

Page 3 of 14

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

2,4-Dinitrophenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2,6-Dinitrotoluene	0.99 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95 UY	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloronaphthalene	0.82 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chlorophenol	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Nitrophenol	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDD	0.016 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDE	0.021 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.012 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.77 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.58 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 UY	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 UY	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0071 JU	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Comment:	Accuracy limits exceeded or Precision limits exceeded			
alpha-BHC	0.011 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.01 U	ug/L	Compliance Check:	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 4 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Bis(2-chloroethoxy)methane	0.91 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.85 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.6 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	3.8	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	2.3	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	26	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	1.1	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0054 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.011 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.012 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.98 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	19 IJ	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment: Accuracy limits exceeded or Precision limits exceeded

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 5 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Hexachlorocyclopentadiene	0.99 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.8 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.71 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	55	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrogen, Kjeldahl	17	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.91 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.27 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.47 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.39 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.84 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	24	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	42	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1.1	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	78	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 6 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	61	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 7 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27151-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: January 7, 2009

Evaluation Type: **A positive result, equal to or below the applied criteria was detected.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
Mercury	0.092	I	ug/L

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Comment:

Criterion: 200 ug/L

Detection Limit: 0.072 ug/L

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,1,1-Trichloroethane	0.46	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2,2-Tetrachloroethane	0.15	U	ug/L
---------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1,2-Trichloroethane	0.47	U	ug/L
-----------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,1-Dichloroethane	0.52	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2,4-Trichlorobenzene	0.58	U	ug/L
------------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichlorobenzene	0.74	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Dichloropropane	0.52	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,2-Diphenylhydrazine	3.5	U	ug/L
-----------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

1,3-Dichlorobenzene	0.58	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2,3,7,8-TCDD	0.00001	U	ug/L
--------------	---------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2,4-Dichlorophenol	0.87	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2,4-Dimethylphenol	1.2	U	ug/L
--------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2,4-Dinitrophenol	1.5	U	ug/L
-------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2,6-Dinitrotoluene	0.97	U	ug/L
--------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Chloroethyl vinyl ether	0.95	UY	ug/L
---------------------------	------	----	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Chloronaphthalene	0.81	U	ug/L
---------------------	------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Chlorophenol	1.1	U	ug/L
----------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

2-Nitrophenol	1.4	U	ug/L
---------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

3,3'-Dichlorobenzidine	1.6	U	ug/L
------------------------	-----	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

4,4'-DDD	0.0039	U	ug/L
----------	--------	---	------

Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 8 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

4,4'-DDE	0.0053 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,4'-DDT	0.003 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4,6-Dinitro-o-cresol	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Bromophenyl phenyl ether	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chloro-3-methylphenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Chlorophenyl phenyl ether	0.76 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
4-Nitrophenol	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthene	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acenaphthylene	0.57 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8 UY	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2 UY	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Aldrin	0.0018 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
alpha-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzidine	16 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo(b)fluoranthene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]anthracene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[a]pyrene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[g,h,i]perylene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Benzo[k]fluoranthene	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
beta-BHC	0.0026 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethoxy)methane	0.89 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroethyl)ether	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-chloroisopropyl) ether	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bis(2-ethylhexyl) phthalate	3.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Butyl benzyl phthalate	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chrysene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 9 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

cis-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Copper	3.5 I	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Cyanide, Total	0.005 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
delta-BHC	0.0027 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dibenz(a,h)anthracene	1.4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dieldrin	0.0013 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Diethyl phthalate	1.1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dimethyl phthalate	0.97 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-butyl phthalate	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Di-n-octyl phthalate	1.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan sulfate	0.0028 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, alpha	0.0033 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endosulfan, beta	0.0032 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Endrin aldehyde	0.0031 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluoranthene	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Fluorene	0.96 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
HEM (Oil and Grease)	4 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Hexachlorocyclopentadiene	0.97 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Isophorone	0.79 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Molybdenum	4 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	0.7 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nickel	2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 10 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Nitrogen, Kjeldahl	0.17 I	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodimethylamine	1.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodi-n-propylamine	0.89 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
N-Nitrosodiphenylamine	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1016	0.25 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1221	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1232	0.37 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1242	0.074 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1248	0.067 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1254	0.12 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
PCB-1260	0.096 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenanthrene	1.2 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenol	0.83 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phenols, Total	0.1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Phosphorus, Total	0.075 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Pyrene	1.3 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfate	0.2 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Sulfide	1 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	0.48 U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Zinc	5 U	ug/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 11 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27151-3**

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: January 7, 2009

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1,1-Trichloroethane	0.46	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,1,2,2-Tetrachloroethane	0.15	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1,2-Trichloroethane	0.47	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,1-Dichloroethane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2,4-Trichlorobenzene	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
1,2-Dichloropropane	0.52	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
2-Chloroethyl vinyl ether	0.95	UY	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrolein	3.8	UY	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Acrylonitrile	1.2	UY	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Bromoform	0.58	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chlorodibromomethane	0.34	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chloroethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
cis-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorobromomethane	0.35	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Dichlorodifluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Ethylbenzene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl bromide	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methyl chloride	1	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Methylene Chloride	4	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Naphthalene	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Toluene	0.51	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,2-Dichloroethene	0.44	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
trans-1,3-Dichloropropene	0.14	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Trichlorofluoromethane	2.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Xylenes, Total	0.5	U	ug/L	RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
 Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 12 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27153-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Leachate Eff

Sample Date: January 7, 2009

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	3.4		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	370		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field pH	7.89		SU	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Field Temperature	23.87		Degree s C	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	1.3		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Oxygen, Dissolved	6.99		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Specific Conductance	11899		umhos/ cm	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	4800		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	16		mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Thursday, March 12, 2009

Page 13 of 14

FDEP Automated Data Evaluation

Southeast Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-27153-2**

Matrix: W

Well Type:

Monitoring Site: Equipment Blank

Sample Date: January 7, 2009

Evaluation Type: **No criteria exist for this component in this criteria set.**

No specific action recommended

Parameter Name	Rslt	Qual	Units	
Biochemical Oxygen Demand	2	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Chemical Oxygen Demand	10	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Nitrate as N	0.1	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Dissolved Solids	5	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)
Total Suspended Solids	0.48	U	mg/L	Compliance Check: RCRA - TCLP Violation Limits: 40CFR261.24 rev. (07/01/1999)

Versions

Report:	3.0.0
---------	-------

Database:	3.7.51 6/24/2005 12:00
-----------	------------------------

Thursday, March 12, 2009

Page 14 of 14