

FDEP Automated Data Evaluation

Human Review Statement:

This is an automated data review produced by the Florida ADaPT software. The report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: **BGW-1**

Sample Date: 09/10/2009 11:1

Monitoring Site: 21610

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-1**

Sample Date: 09/09/2009 07:1

Monitoring Site: 21593

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-10**

Sample Date: 09/10/2009 07:3

Monitoring Site: 21602

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-11**

Sample Date: 09/10/2009 08:0

Monitoring Site: 21603

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-12**

Sample Date: 09/10/2009 08:3

Monitoring Site: 21604

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-13**

Sample Date: 09/10/2009 09:0

Monitoring Site: 21605

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-14**

Sample Date: 09/10/2009 09:3

Monitoring Site: 21606

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-15**

Sample Date: 09/10/2009 09:5

Monitoring Site: 21607

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-16**

Sample Date: 09/10/2009 10:2

Monitoring Site: 21608

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-17**

Sample Date: 09/10/2009 10:4

Monitoring Site: 21609

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-2**

Sample Date: 09/09/2009 07:5

Monitoring Site: 21594

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-3**

Sample Date: 09/09/2009 08:2

Monitoring Site: 21595

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-4**

Sample Date: 09/09/2009 08:5

Monitoring Site: 21596

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-5**

Sample Date: 09/09/2009 09:1

Monitoring Site: 21597

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-6**

Sample Date: 09/09/2009 09:5

Monitoring Site: 21598

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-7**

Sample Date: 09/09/2009 10:3

Monitoring Site: 21599

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-8**

Sample Date: 09/09/2009 11:0

Monitoring Site: 21600

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |

FDEP Automated Data Evaluation

This is an automated data review. Please see the Human Review statement on page 1.

Sample ID: **GW-9**

Sample Date: 09/10/2009 06:5

Monitoring Site: 21601

Matrix W

Compliance Check: **Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)**

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

| <u>Parameter Name</u> | <u>Fraction</u> | <u>Rslt</u> | <u>Qua</u> | <u>MDL</u> | <u>PQL</u> | <u>Criterion</u> | <u>Units</u> | <u>Comment:</u> |
|------------------------|-----------------|-------------|------------|------------|------------|------------------|--------------|-----------------|
| 1,2,3-Trichloropropane | TOT | 0.2 | U | 0.2 | 0.8 | 0.02 | ug/L | |