

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859

Sample Date/Time: 7/21/2009 7:10:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Equipment Blank

Permitted _____

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Well Type: (AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 1:54:00PM	0.01	0.01	mg/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 7:36:00PM	0.0099	0.0099	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 1:56:00AM	1.1	1.1	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 1:56:00AM	33	33	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 1:56:00AM	2.5	2.5	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 1:56:00AM	0.095	0.095	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 1:56:00AM	1.3	1.3	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 4:59:00AM	1.5	1.5	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.41	0.41	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 4:59:00AM	0.44	0.44	ug/L	U
000940	Chloride	N	E84282	300	8/1/2009 11:26:00AM	0.2	0.2	mg/L	U
077128	Styrene	N	E84282	8260B	7/28/2009 4:59:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 4:59:00AM	4	4	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	JU
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 4:59:00AM	0.65	0.65	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 1:56:00AM	2.3	2.3	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.57	0.57	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 4:59:00AM	0.18	0.18	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 4:59:00AM	0.14	0.14	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 4:59:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 4:59:00AM	0.9	0.9	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 4:59:00AM	4.4	4.4	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 4:59:00AM	8.4	8.4	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 4:59:00AM	0.63	0.63	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 4:59:00AM	0.52	0.52	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.52	0.52	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 4:59:00AM	0.45	0.45	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.34	0.34	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 1:56:00AM	0.25	0.25	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.47	0.47	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 4:59:00AM	0.58	0.58	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 4:59:00AM	1	1	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 4:59:00AM	9.9	9.9	ug/L	U
001147	Selenium	N	E87052	6020	7/25/2009 1:56:00AM	1	1	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 1:56:00AM	0.25	0.25	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 1:56:00AM	0.25	0.25	mg/L	U
001059	Thallium	N	E87052	6020	7/25/2009 1:56:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E87052	6020	7/25/2009 1:56:00AM	3.8	3.8	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 1:56:00AM	8.3	8.3	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 4:59:00AM	0.44	0.44	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859

Sample Date/Time: 7/21/2009 7:10:00AM

WACS Testsite ID #:

Sampling Method:

WACS Testsite Name: Equipment Blank

Permitted

Water Classification:
(i.e.: LC - Leachate, G-II, SW-III-F)

Well Type: (AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	5	5	mg/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 4:59:00AM	3.8	3.8	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.15	0.15	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.46	0.46	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.63	0.63	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.35	0.35	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 7:36:00PM	0.0099	0.0099	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:13:00PM	0.072	0.072	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 4:59:00AM	0.14	0.14	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 1:56:00AM	0.15	0.15	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 4:59:00AM	0.42	0.42	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 4:59:00AM	0.58	0.58	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	JU
001067	Nickel	N	E87052	6020	7/25/2009 1:56:00AM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 4:59:00AM	0.44	0.44	ug/L	U
001051	Lead	N	E87052	6020	7/25/2009 1:56:00AM	0.2	0.2	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	JU
078124	Benzene	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 4:59:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 4:59:00AM	1.2	1.2	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 4:59:00AM	0.5	0.5	ug/L	U
001007	Barium	N	E87052	6020	7/25/2009 1:56:00AM	1.3	1.3	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 4:59:00AM	0.51	0.51	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 4:59:00AM	0.85	0.85	ug/L	U

Total Parameters Monitored: 71

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859

Sample Date/Time: 7/21/2009 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Trip Blank

Permitted _____

Water Classification:

(i.e.: LC - Leachate, G-II, SW-III(F))

Well Type: _____

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.15	0.15	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.47	0.47	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 7:52:00AM	0.45	0.45	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:52:00AM	0.44	0.44	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.57	0.57	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 7:52:00AM	0.18	0.18	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:52:00AM	0.52	0.52	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.41	0.41	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 7:52:00AM	4.4	4.4	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 7:52:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 7:52:00AM	1	1	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 7:52:00AM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:52:00AM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.34	0.34	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 7:52:00AM	0.42	0.42	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 7:52:00AM	0.44	0.44	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 7:52:00AM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 7:52:00AM	1.2	1.2	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 7:52:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.35	0.35	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.58	0.58	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 7:52:00AM	9.9	9.9	ug/L	U
077128	Styrene	N	E84282	8260B	7/28/2009 7:52:00AM	0.98	0.98	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 7:52:00AM	0.63	0.63	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 7:52:00AM	4	4	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 7:52:00AM	8.4	8.4	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 7:52:00AM	0.85	0.85	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	JU
034010	Toluene	N	E84282	8260B	7/28/2009 7:52:00AM	0.51	0.51	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 7:52:00AM	0.44	0.44	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	JU
039180	Trichloroethene	N	E84282	8260B	7/28/2009 7:52:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 7:52:00AM	2.5	2.5	ug/L	JU
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 7:52:00AM	0.52	0.52	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859

Sample Date/Time: 7/21/2009 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Trip Blank

Permitted

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Well Type:

(AS) Assessment	(IW) Irrigation Well
(BG) Background	(OT) Other
(CO) Compliance	(PZ) Piezometer
(DE) Detection	(SO) Source
(DG) Downgradient	(UP) Upgradient
(IM) Intermediate	(WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 7:52:00AM	1.5	1.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:52:00AM	0.14	0.14	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 7:52:00AM	3.8	3.8	ug/L	U

Total Parameters Monitored: 47

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 165
 WACS Testsite Name: MW-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 8:50:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:03:00AM	7.2	0.5	ug/L	
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.58	0.58	ug/L	U
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	94	5	mg/L	
001007	Barium	N	E87052	6020	7/25/2009 2:03:00AM	6.1	1.3	ug/L	
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 5:17:00AM	1.5	1.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	JU
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:17:00AM	0.14	0.14	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:17:00AM	0.44	0.44	ug/L	U
000940	Chloride	N	E84282	300	8/1/2009 11:59:00AM	4.3	0.2	mg/L	
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:03:00AM	67	33	ug/L	I
081552	Acetone	N	E84282	8260B	7/28/2009 5:17:00AM	9.9	9.9	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:15:00PM	0.3	0.072	ug/L	
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 5:17:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 5:17:00AM	0.42	0.42	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 5:17:00AM	0.85	0.85	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 5:17:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.35	0.35	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	24.2		Degrees C	
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 5:17:00AM	1.2	1.2	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 5:17:00AM	0.9	0.9	ug/L	U
001087	Vanadium	N	E87052	6020	7/25/2009 2:03:00AM	3.8	3.8	ug/L	U
001051	Lead	N	E87052	6020	7/25/2009 2:03:00AM	3.6	0.2	ug/L	
001147	Selenium	N	E87052	6020	7/25/2009 2:03:00AM	1	1	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 2:03:00AM	1.3	1.1	ug/L	I
001037	Cobalt	N	E87052	6020	7/25/2009 2:03:00AM	0.55	0.15	ug/L	
001034	Chromium	N	E87052	6020	7/25/2009 2:03:00AM	2.5	2.5	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 5:17:00AM	0.45	0.45	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 2:03:00AM	14	8.3	ug/L	I
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.46	0.46	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:03:00AM	0.5	0.5	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:03:00AM	6.4	0.25	mg/L	
001077	Silver	N	E87052	6020	7/25/2009 2:03:00AM	0.25	0.25	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	5.23		SU	
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 1:57:00PM	0.01	0.01	mg/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:17:00AM	0.14	0.14	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.34	0.34	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.41	0.41	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 5:17:00AM	0.44	0.44	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 165
 WACS Testsite Name: MW-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III/F)

Sample Date/Time: 7/21/2009 8:50:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 5:17:00AM	8.4	8.4	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	JU
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 5:17:00AM	0.52	0.52	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:17:00AM	0.65	0.65	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:17:00AM	0.52	0.52	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	4.3	0.1	mg/L	
001097	Antimony	N	E87052	6020	7/25/2009 2:03:00AM	2.3	2.3	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 2:03:00AM	1.3	1.3	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 5:17:00AM	0.51	0.51	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.47	0.47	ug/L	U
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	4.25		mg/L	
077128	Styrene	N	E84282	8260B	7/28/2009 5:17:00AM	0.98	0.98	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:03:00AM	0.37	0.095	ug/L	I
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 5:17:00AM	0.5	0.5	ug/L	JU
034418	Chloromethane	N	E84282	8260B	7/28/2009 5:17:00AM	1	1	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:17:00AM	0.44	0.44	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	88		umhos/cm	
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.57	0.57	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.15	0.15	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 5:17:00AM	4.4	4.4	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:03:00AM	0.25	0.25	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 5:17:00AM	0.18	0.18	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 5:17:00AM	3.8	3.8	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	0.63	0.63	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 5:17:00AM	4	4	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 5:17:00AM	2.5	2.5	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	2.55		NTU	
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 8:50:00AM	112.82		ft	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 7:56:00PM	0.0095	0.0095	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 7:56:00PM	0.0095	0.0095	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22015
 WACS Testsite Name: MW-15
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 7/21/2009 1:05:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032106	Chloroform	N	E84282	8260B	7/28/2009 5:34:00AM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:34:00AM	0.14	0.14	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 5:34:00AM	0.63	0.63	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 5:34:00AM	0.42	0.42	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 5:34:00AM	0.85	0.85	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 5:34:00AM	3.8	3.8	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:34:00AM	4.3	0.65	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 5:34:00AM	4.4	4.4	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 5:34:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 5:34:00AM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 5:34:00AM	0.55	0.5	ug/L	I
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 5:34:00AM	0.58	0.58	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.46	0.46	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 5:34:00AM	8.4	8.4	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 2:09:00AM	0.45	0.15	ug/L	I
077596	Dibromomethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.41	0.41	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:17:00PM	0.072	0.072	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 2:09:00AM	21	8.3	ug/L	U
001087	Vanadium	N	E87052	6020	7/25/2009 2:09:00AM	3.8	3.8	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:09:00AM	0.5	0.5	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:09:00AM	1.7	0.25	mg/L	U
001051	Lead	N	E87052	6020	7/25/2009 2:09:00AM	0.2	0.2	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:09:00AM	3.6	0.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.57	0.57	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 2:09:00AM	11	1.1	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:34:00AM	0.44	0.44	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 2:09:00AM	2.5	2.5	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:09:00AM	0.095	0.095	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:09:00AM	0.25	0.25	ug/L	U
001007	Barium	N	E87052	6020	7/25/2009 2:09:00AM	6.5	1.3	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 2:09:00AM	5.7	1.3	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:09:00AM	0.25	0.25	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.34	0.34	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 5:34:00AM	0.52	0.52	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 2:09:00AM	2.3	2.3	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:34:00AM	0.14	0.14	ug/L	U
000940	Chloride	N	E84282	300	8/1/2009 1:36:00PM	3	0.2	mg/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 5:34:00AM	0.5	0.5	ug/L	JU
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 1:58:00PM	0.012	0.01	mg/L	I
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 5:34:00AM	0.5	0.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 5:34:00AM	1.1	0.5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 22015
 WACS Testsite Name: MW-15
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III/F)

Sample Date/Time: 7/21/2009 1:05:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 5:34:00AM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 5:34:00AM	1.5	0.5	ug/L	
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	4.19		SU	
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	37	5	mg/L	
001045	Iron	N	E87052	6020	7/25/2009 2:09:00AM	4000	33	ug/L	
077424	Iodomethane	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	JU
034010	Toluene	N	E84282	8260B	7/28/2009 5:34:00AM	0.51	0.51	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 5:34:00AM	0.5	0.5	ug/L	U
077128	Styrene	N	E84282	8260B	7/28/2009 5:34:00AM	0.98	0.98	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 5:34:00AM	1	1	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.58	0.58	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 5:34:00AM	0.44	0.44	ug/L	U
001147	Selenium	N	E87052	6020	7/25/2009 2:09:00AM	6.1	1	ug/L	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	JU
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.15	0.15	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:34:00AM	0.44	0.44	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 5:34:00AM	2.5	2.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 5:34:00AM	0.18	0.18	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 5:34:00AM	0.45	0.45	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:34:00AM	0.52	0.52	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.47	0.47	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 8:17:00PM	0.0096	0.0096	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 8:17:00PM	0.0096	0.0096	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	118.42		ft	
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	4.43		NTU	
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	43		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	0.24		mg/L	
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 1:05:00PM	24.2		Degrees C	
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 5:34:00AM	4	4	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 5:34:00AM	0.52	0.52	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 149
 WACS Testsite Name: MW-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 8:33:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034413	Bromomethane	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	U
077128	Styrene	N	E84282	8260B	7/28/2009 5:51:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 5:51:00AM	4	4	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	JU
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 5:51:00AM	0.44	0.44	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	JU
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:51:00AM	0.14	0.14	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 5:51:00AM	0.63	0.63	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.34	0.34	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 5:51:00AM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:51:00AM	0.65	0.65	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.41	0.41	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 5:51:00AM	0.51	0.51	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:16:00AM	0.25	0.25	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 2:16:00AM	0.35	0.15	ug/L	I
001042	Copper	N	E87052	6020	7/25/2009 2:16:00AM	1.1	1.1	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:16:00AM	75	33	ug/L	I
034418	Chloromethane	N	E84282	8260B	7/28/2009 5:51:00AM	1	1	ug/L	U
001051	Lead	N	E87052	6020	7/25/2009 2:16:00AM	1.2	0.2	ug/L	I
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 5:51:00AM	0.44	0.44	ug/L	U
001147	Selenium	N	E87052	6020	7/25/2009 2:16:00AM	1	1	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:16:00AM	2.5	0.25	mg/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:16:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:16:00AM	0.095	0.095	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:16:00AM	0.25	0.25	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	JU
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	129.65		ft	
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 5:51:00AM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:51:00AM	0.52	0.52	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 5:51:00AM	8.4	8.4	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 5:51:00AM	4.4	4.4	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 5:51:00AM	3.8	3.8	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 5:51:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 5:51:00AM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	22.5		Degrees C	
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.57	0.57	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	3.73		NTU	
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.15	0.15	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 8:37:00PM	0.0098	0.0098	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 149
 WACS Testsite Name: MW-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 8:33:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 8:37:00PM	0.0098	0.0098	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.46	0.46	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.47	0.47	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 5:51:00AM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 5:51:00AM	0.18	0.18	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 5:51:00AM	3	0.9	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 2:16:00AM	2.5	2.5	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 5:51:00AM	0.42	0.42	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 5:51:00AM	0.85	0.85	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.58	0.58	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.52	0.52	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 5:51:00AM	0.44	0.44	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:16:00AM	0.5	0.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 5:51:00AM	0.5	0.5	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 5:51:00AM	0.58	0.58	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	27		umhos/cm	
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	25	5	mg/L	
000940	Chloride	N	E84282	300	8/1/2009 2:09:00PM	3.2	0.2	mg/L	
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:00:00PM	0.01	0.01	mg/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:19:00PM	0.072	0.072	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 2:16:00AM	1.3	1.3	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 5:51:00AM	2.5	2.5	ug/L	U
001007	Barium	N	E87052	6020	7/25/2009 2:16:00AM	3.2	1.3	ug/L	I
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	5.74		mg/L	
001087	Vanadium	N	E87052	6020	7/25/2009 2:16:00AM	3.8	3.8	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 2:16:00AM	12	8.3	ug/L	I
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 5:51:00AM	1.5	1.5	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 5:51:00AM	0.35	0.35	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 8:33:00AM	3.85		SU	
001097	Antimony	N	E87052	6020	7/25/2009 2:16:00AM	2.3	2.3	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22013
 WACS Testsite Name: MW-13
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 7/21/2009 10:16:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.58	0.58	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 6:08:00AM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 6:08:00AM	1	1	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:08:00AM	0.14	0.14	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.57	0.57	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 6:08:00AM	0.42	0.42	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:08:00AM	2.9	0.65	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.41	0.41	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 6:08:00AM	0.52	0.52	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:08:00AM	0.44	0.44	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.34	0.34	ug/L	U
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	56	5	mg/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 6:08:00AM	0.45	0.45	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:26:00PM	0.072	0.072	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	JU
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.46	0.46	ug/L	U
000940	Chloride	N	E84282	300	8/4/2009 5:29:00PM	5.6	0.2	mg/L	U
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:01:00PM	0.01	0.01	mg/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 6:08:00AM	8.4	8.4	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:23:00AM	0.095	0.095	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.15	0.15	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 6:08:00AM	0.63	0.63	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:08:00AM	0.14	0.14	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 6:08:00AM	0.58	0.5	ug/L	I
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 6:08:00AM	1.5	1.5	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 6:08:00AM	4.4	4.4	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 6:08:00AM	0.5	0.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 6:08:00AM	0.85	0.85	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 6:08:00AM	0.51	0.51	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	5.19		SU	
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 6:08:00AM	0.5	0.5	ug/L	JU
077128	Styrene	N	E84282	8260B	7/28/2009 6:08:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 6:08:00AM	4	4	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	JU
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 6:08:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 6:08:00AM	0.44	0.44	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 6:08:00AM	1.2	0.5	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 2:23:00AM	10	1.1	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 6:08:00AM	0.18	0.18	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.81	0.52	ug/L	I

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 22013
 WACS Testsite Name: MW-13
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 10:16:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001092	Zinc	N	E87052	6020	7/25/2009 2:23:00AM	8.3	8.3	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:23:00AM	0.25	0.25	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 2:23:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 2:23:00AM	6.6	0.15	ug/L	
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:08:00AM	3.1	0.52	ug/L	
001087	Vanadium	N	E87052	6020	7/25/2009 2:23:00AM	3.8	3.8	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 2:23:00AM	2.3	2.3	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:23:00AM	3.5	0.25	mg/L	
001147	Selenium	N	E87052	6020	7/25/2009 2:23:00AM	1	1	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:23:00AM	4.4	0.5	ug/L	
001051	Lead	N	E87052	6020	7/25/2009 2:23:00AM	0.2	0.2	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:23:00AM	2700	33	ug/L	
001059	Thallium	N	E87052	6020	7/25/2009 2:23:00AM	0.5	0.5	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 6:08:00AM	3.8	3.8	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:23:00AM	0.25	0.25	ug/L	U
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	0.57		mg/L	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 8:58:00PM	0.0096	0.0096	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 8:58:00PM	0.0096	0.0096	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	106.72		ft	
001002	Arsenic	N	E87052	6020	7/25/2009 2:23:00AM	3.7	1.3	ug/L	
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	89		umhos/cm	
001007	Barium	N	E87052	6020	7/25/2009 2:23:00AM	5.4	1.3	ug/L	
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	23.9		Degrees C	
081552	Acetone	N	E84282	8260B	7/28/2009 6:08:00AM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 6:08:00AM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 6:08:00AM	0.57	0.5	ug/L	I
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 6:08:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 6:08:00AM	2.5	2.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:08:00AM	0.44	0.44	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 6:08:00AM	0.47	0.47	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 10:16:00AM	4.75		NTU	

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22017
 WACS Testsite Name: MW-17
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 7/21/2009 11:39:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001037	Cobalt	N	E87052	6020	7/25/2009 2:30:00AM	7.6	0.15	ug/L	
001087	Vanadium	N	E87052	6020	7/25/2009 2:30:00AM	3.8	3.8	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:30:00AM	2.8	0.5	ug/L	
001042	Copper	N	E87052	6020	7/25/2009 2:30:00AM	1.1	1.1	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	61		umhos/cm	
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 6:25:00AM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	U
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	46	5	mg/L	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	JU
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:02:00PM	0.023	0.01	mg/L	
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.34	0.34	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 2:30:00AM	2.3	2.3	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 2:30:00AM	2.6	1.3	ug/L	
001007	Barium	N	E87052	6020	7/25/2009 2:30:00AM	9.2	1.3	ug/L	
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	JU
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:25:00AM	0.44	0.44	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	24.3		Degrees C	
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	0.21		mg/L	
000940	Chloride	N	E84282	300	8/4/2009 6:01:00PM	4.3	0.2	mg/L	
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 6:25:00AM	0.44	0.44	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 2:30:00AM	2.5	2.5	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:25:00AM	0.14	0.14	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 6:25:00AM	1	1	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 6:25:00AM	0.85	0.85	ug/L	U
077128	Styrene	N	E84282	8260B	7/28/2009 6:25:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 6:25:00AM	4	4	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 6:25:00AM	0.5	0.5	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	4.86		SU	
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:25:00AM	0.75	0.65	ug/L	I
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:25:00AM	0.44	0.44	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 6:25:00AM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.58	0.58	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 6:25:00AM	0.63	0.63	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	JU
001092	Zinc	N	E87052	6020	7/25/2009 2:30:00AM	8.3	8.3	ug/L	I
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 6:25:00AM	3.8	3.8	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 6:25:00AM	9.9	9.9	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 22017
 WACS Testsite Name: MW-17
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 11:39:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 6:25:00AM	1.2	1.2	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 6:25:00AM	0.58	0.58	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.35	0.35	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:30:00AM	7300	33	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 6:25:00AM	4.4	4.4	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 6:25:00AM	0.51	0.51	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 6:25:00AM	0.18	0.18	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:30:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:28:00PM	0.072	0.072	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:30:00AM	0.25	0.25	ug/L	U
001147	Selenium	N	E87052	6020	7/25/2009 2:30:00AM	1	1	ug/L	U
001051	Lead	N	E87052	6020	7/25/2009 2:30:00AM	0.2	0.2	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	4.98		NTU	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:30:00AM	0.25	0.25	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:30:00AM	3.2	0.25	mg/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 9:59:00PM	0.0096	0.0096	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 11:39:00AM	105.95		ft	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:30:00AM	0.095	0.095	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 9:59:00PM	0.0096	0.0096	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.15	0.15	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 6:25:00AM	0.45	0.45	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:25:00AM	0.89	0.52	ug/L	I
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 6:25:00AM	0.42	0.42	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 6:25:00AM	2.5	2.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:25:00AM	0.14	0.14	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 6:25:00AM	0.52	0.52	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 6:25:00AM	0.41	0.41	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 6:25:00AM	8.4	8.4	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22014
 WACS Testsite Name: MW-14
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 12:51:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	4.86		NTU	
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	519		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	0.17		mg/L	
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:43:00AM	0.14	0.14	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	6.77		SU	
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	102.33		ft	
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.46	0.46	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.47	0.47	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 10:39:00PM	0.0097	0.0097	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 12:51:00PM	23.9		Degrees C	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.63	0.63	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 6:43:00AM	0.45	0.45	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.15	0.15	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 6:43:00AM	1	1	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.52	0.52	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 6:43:00AM	0.18	0.18	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 6:43:00AM	0.52	0.52	ug/L	U
001087	Vanadium	N	E87052	6020	7/25/2009 2:36:00AM	3.8	3.8	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:43:00AM	0.44	0.44	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.35	0.35	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 6:43:00AM	8.4	8.4	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 6:43:00AM	4.4	4.4	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 6:43:00AM	3.8	3.8	ug/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 6:43:00AM	9.9	9.9	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 6:43:00AM	0.52	0.52	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:43:00AM	0.65	0.65	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 6:43:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 6:43:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 6:43:00AM	0.42	0.42	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 6:43:00AM	0.63	0.63	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.58	0.58	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 6:43:00AM	0.9	0.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 6:43:00AM	1.2	1.2	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	JU
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 6:43:00AM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	JU
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 6:43:00AM	4	4	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 22014
 WACS Testsite Name: MW-14
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 12:51:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077128	Styrene	N	E84282	8260B	7/28/2009 6:43:00AM	0.98	0.98	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	JU
001097	Antimony	N	E87052	6020	7/25/2009 2:36:00AM	2.3	2.3	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.41	0.41	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 6:43:00AM	0.34	0.34	ug/L	U
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	300	5	mg/L	
039180	Trichloroethene	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 6:43:00AM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 6:43:00AM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 6:43:00AM	0.5	0.5	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 10:39:00PM	0.0097	0.0097	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 6:43:00AM	0.51	0.51	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:36:00AM	2.5	0.25	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 6:43:00AM	0.44	0.44	ug/L	U
001002	Arsenic	N	E87052	6020	7/25/2009 2:36:00AM	1.3	1.3	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 6:43:00AM	0.14	0.14	ug/L	U
000940	Chloride	N	E84282	300	8/4/2009 6:34:00PM	3.6	0.2	mg/L	
001007	Barium	N	E87052	6020	7/25/2009 2:36:00AM	21	1.3	ug/L	
001012	Beryllium	N	E87052	6020	7/25/2009 2:36:00AM	0.25	0.25	ug/L	U
001027	Cadmium	N	E87052	6020	7/25/2009 2:36:00AM	0.24	0.095	ug/L	I
001034	Chromium	N	E87052	6020	7/25/2009 2:36:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 2:36:00AM	1.4	0.15	ug/L	
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:03:00PM	0.01	0.01	mg/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:36:00AM	120	33	ug/L	
001092	Zinc	N	E87052	6020	7/25/2009 2:36:00AM	8.3	8.3	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:36:00AM	1.5	0.5	ug/L	
001147	Selenium	N	E87052	6020	7/25/2009 2:36:00AM	1	1	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:36:00AM	0.25	0.25	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:36:00AM	0.5	0.5	ug/L	U
001051	Lead	N	E87052	6020	7/25/2009 2:36:00AM	0.2	0.2	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:31:00PM	0.072	0.072	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 2:36:00AM	1.1	1.1	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 150
 WACS Testsite Name: MW-3
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 4:13:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 7:17:00AM	3.8	3.8	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 2:56:00AM	0.39	0.15	ug/L	I
001034	Chromium	N	E87052	6020	7/25/2009 2:56:00AM	2.5	2.5	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.35	0.35	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 7:17:00AM	0.85	0.85	ug/L	U
001007	Barium	N	E87052	6020	7/25/2009 2:56:00AM	11	1.3	ug/L	
001002	Arsenic	N	E87052	6020	7/25/2009 2:56:00AM	1.3	1.3	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 2:56:00AM	2.3	2.3	ug/L	U
001012	Beryllium	N	E87052	6020	7/25/2009 2:56:00AM	0.25	0.25	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 7:17:00AM	0.42	0.42	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:33:00PM	0.072	0.072	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 7:17:00AM	0.58	0.58	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 7:17:00AM	0.52	0.52	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.82	0.1	mg/L	
078124	Benzene	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.41	0.41	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 7:17:00AM	0.44	0.44	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	50		umhos/cm	
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.34	0.34	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 7:17:00AM	4.4	4.4	ug/L	U
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	3.39		mg/L	
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 7:17:00AM	8.4	8.4	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 11:00:00PM	0.0098	0.0098	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 7:17:00AM	0.63	0.63	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	113.84		ft	
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:04:00PM	0.01	0.01	mg/L	U
081552	Acetone	N	E84282	8260B	7/28/2009 7:17:00AM	9.9	9.9	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	28.3		Degrees C	
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	4.39		SU	
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 4:13:00PM	4.06		NTU	
001027	Cadmium	N	E87052	6020	7/25/2009 2:56:00AM	0.15	0.095	ug/L	I
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	U
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	36	5	mg/L	
000940	Chloride	N	E84282	300	8/5/2009 7:01:00AM	5.5	0.2	mg/L	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 11:00:00PM	0.0098	0.0098	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 7:17:00AM	0.44	0.44	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 7:17:00AM	4	4	ug/L	U
001087	Vanadium	N	E87052	6020	7/25/2009 2:56:00AM	3.8	3.8	ug/L	U
001059	Thallium	N	E87052	6020	7/25/2009 2:56:00AM	0.5	0.5	ug/L	U
001077	Silver	N	E87052	6020	7/25/2009 2:56:00AM	0.25	0.25	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 150
 WACS Testsite Name: MW-3
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 4:13:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001147	Selenium	N	E87052	6020	7/25/2009 2:56:00AM	1	1	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 2:56:00AM	2.1	0.5	ug/L	
001051	Lead	N	E87052	6020	7/25/2009 2:56:00AM	5.5	0.2	ug/L	
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.47	0.47	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:17:00AM	0.14	0.14	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 2:56:00AM	91	33	ug/L	I
034475	Tetrachloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	JU
077128	Styrene	N	E84282	8260B	7/28/2009 7:17:00AM	0.98	0.98	ug/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 7:17:00AM	0.51	0.51	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:17:00AM	0.14	0.14	ug/L	U
039180	Trichloroethene	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 7:17:00AM	1.5	1.5	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	JU
001042	Copper	N	E87052	6020	7/25/2009 2:56:00AM	15	1.1	ug/L	
034501	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.45	0.45	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 7:17:00AM	0.5	0.5	ug/L	U
077093	cis-1,2-Dichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.65	0.65	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 2:56:00AM	4.5	0.25	mg/L	
032106	Chloroform	N	E84282	8260B	7/28/2009 7:17:00AM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:17:00AM	0.52	0.52	ug/L	U
034418	Chloromethane	N	E84282	8260B	7/28/2009 7:17:00AM	1	1	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.57	0.57	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:17:00AM	0.44	0.44	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.15	0.15	ug/L	U
077424	Iodomethane	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	JU
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.46	0.46	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 7:17:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 7:17:00AM	1.2	1.2	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.52	0.52	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 2:56:00AM	41	8.3	ug/L	
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 7:17:00AM	0.18	0.18	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 7:17:00AM	0.58	0.58	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 179
 WACS Testsite Name: MW-7
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 7/21/2009 6:18:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077424	Iodomethane	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	JU
001002	Arsenic	N	E87052	6020	7/25/2009 3:03:00AM	1.3	1.3	ug/L	U
001097	Antimony	N	E87052	6020	7/25/2009 3:03:00AM	2.3	2.3	ug/L	U
000620	Nitrate as N	N	E84282	353.2	7/22/2009 2:35:00PM	0.1	0.1	mg/L	U
034010	Toluene	N	E84282	8260B	7/28/2009 7:34:00AM	0.51	0.51	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	JU
077128	Styrene	N	E84282	8260B	7/28/2009 7:34:00AM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	7/28/2009 7:34:00AM	4	4	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	7/28/2009 7:34:00AM	0.44	0.44	ug/L	U
001042	Copper	N	E87052	6020	7/25/2009 3:03:00AM	1.1	1.1	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.47	0.47	ug/L	U
071900	Mercury	N	E84282	7470A	7/24/2009 2:36:00PM	0.072	0.072	ug/L	U
001045	Iron	N	E87052	6020	7/25/2009 3:03:00AM	150	33	ug/L	
001051	Lead	N	E87052	6020	7/25/2009 3:03:00AM	2.1	0.2	ug/L	
000010	Field Temperature	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	28.2		Degrees C	
039180	Trichloroethene	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	U
001067	Nickel	N	E87052	6020	7/25/2009 3:03:00AM	4.4	0.5	ug/L	
070300	Total Dissolved Solids	N	E81005	SM 2540C	7/24/2009 8:28:00AM	92	5	mg/L	
034546	trans-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 7:34:00AM	0.44	0.44	ug/L	U
001092	Zinc	N	E87052	6020	7/25/2009 3:03:00AM	13	8.3	ug/L	I
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	0.26		mg/L	
001059	Thallium	N	E87052	6020	7/25/2009 3:03:00AM	0.5	0.5	ug/L	U
000929	Sodium	N	E87052	6020	7/25/2009 3:03:00AM	12	0.25	mg/L	
001077	Silver	N	E87052	6020	7/25/2009 3:03:00AM	0.25	0.25	ug/L	U
001037	Cobalt	N	E87052	6020	7/25/2009 3:03:00AM	0.3	0.15	ug/L	I
001087	Vanadium	N	E87052	6020	7/25/2009 3:03:00AM	3.8	3.8	ug/L	U
001034	Chromium	N	E87052	6020	7/25/2009 3:03:00AM	2.5	2.5	ug/L	U
001007	Barium	N	E87052	6020	7/25/2009 3:03:00AM	25	1.3	ug/L	
081551	Xylenes, Total	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	7/28/2009 7:34:00AM	1.5	1.5	ug/L	U
077596	Dibromomethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.41	0.41	ug/L	U
001147	Selenium	N	E87052	6020	7/25/2009 3:03:00AM	1	1	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	JU
001027	Cadmium	N	E87052	6020	7/25/2009 3:03:00AM	0.11	0.095	ug/L	I
001012	Beryllium	N	E87052	6020	7/25/2009 3:03:00AM	0.25	0.25	ug/L	U
000610	Ammonia (as N)	N	E84282	350.1	7/30/2009 2:05:00PM	0.01	0.01	mg/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:34:00AM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	7/28/2009 7:34:00AM	0.45	0.45	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	7/28/2009 7:34:00AM	0.52	0.52	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	7/28/2009 7:34:00AM	0.44	0.44	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	U
032105	Dibromochloromethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.34	0.34	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 179
 WACS Testsite Name: MW-7
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 7/21/2009 6:18:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: BG

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034531	1,2-Dichloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.57	0.57	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.58	0.58	ug/L	U
034311	Chloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	U
000406	Field pH	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	5.45		SU	
034418	Chloromethane	N	E84282	8260B	7/28/2009 7:34:00AM	1	1	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	7/28/2009 7:34:00AM	8.4	8.4	ug/L	U
077103	2-Hexanone	N	E84282	8260B	7/28/2009 7:34:00AM	4.4	4.4	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	7/28/2009 7:34:00AM	3.8	3.8	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	7/28/2009 7:34:00AM	0.65	0.65	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:34:00AM	0.14	0.14	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	7/28/2009 7:34:00AM	0.18	0.18	ug/L	U
000940	Chloride	N	E84282	300	8/4/2009 8:11:00PM	6.1	0.2	mg/L	
034496	1,1-Dichloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	7/28/2009 7:34:00AM	1.2	1.2	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	4.83		NTU	
081552	Acetone	N	E84282	8260B	7/28/2009 7:34:00AM	9.9	9.9	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	123.31		ft	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8011	7/23/2009 11:20:00PM	0.0096	0.0096	ug/L	U
077651	Ethylene Dibromide	N	E84282	8011	7/23/2009 11:20:00PM	0.0096	0.0096	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.63	0.63	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.46	0.46	ug/L	U
032106	Chloroform	N	E84282	8260B	7/28/2009 7:34:00AM	0.9	0.9	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	7/28/2009 7:34:00AM	0.14	0.14	ug/L	U
078124	Benzene	N	E84282	8260B	7/28/2009 7:34:00AM	0.5	0.5	ug/L	U
032101	Bromodichloromethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.35	0.35	ug/L	U
032104	Bromoform	N	E84282	8260B	7/28/2009 7:34:00AM	0.58	0.58	ug/L	U
034413	Bromomethane	N	E84282	8260B	7/28/2009 7:34:00AM	2.5	2.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	7/28/2009 7:34:00AM	0.85	0.85	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	7/28/2009 7:34:00AM	0.42	0.42	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	7/28/2009 7:34:00AM	0.63	0.63	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	7/21/2009 6:18:00PM	134		umhos/cm	
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	7/28/2009 7:34:00AM	0.15	0.15	ug/L	U

Total Parameters Monitored: 77

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.