

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859

Sample Date/Time: 8/28/2009 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Equipment Blank

Permitted _____

Water Classification:

(i.e.: LC - Leachate, G-II, SW-IIIIF)

Well Type: _____

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034311	Chloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U
001045	Iron	N	E87052	6020	9/3/2009 8:25:00PM	33	33	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	9/9/2009 6:50:00PM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	9/9/2009 6:50:00PM	0.14	0.14	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	9/9/2009 6:50:00PM	0.44	0.44	ug/L	U
034010	Toluene	N	E84282	8260B	9/9/2009 6:50:00PM	0.51	0.51	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	9/9/2009 6:50:00PM	0.63	0.63	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
077128	Styrene	N	E84282	8260B	9/9/2009 6:50:00PM	0.98	0.98	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	9/9/2009 6:50:00PM	4	4	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.58	0.58	ug/L	U
032106	Chloroform	N	E84282	8260B	9/9/2009 6:50:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	9/9/2009 6:50:00PM	1	1	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	9/9/2009 6:50:00PM	0.65	0.65	ug/L	U
077596	Dibromomethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.41	0.41	ug/L	U
032101	Dichlorobromomethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.35	0.35	ug/L	U
077424	Iodomethane	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	9/9/2009 6:50:00PM	0.44	0.44	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	9/9/2009 6:50:00PM	0.14	0.14	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
077103	2-Hexanone	N	E84282	8260B	9/9/2009 6:50:00PM	4.4	4.4	ug/L	U
032105	Chlorodibromomethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.34	0.34	ug/L	U
078124	Benzene	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.15	0.15	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	9/9/2009 6:50:00PM	0.52	0.52	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	9/9/2009 6:50:00PM	1.2	1.2	ug/L	U
081552	Acetone	N	E84282	8260B	9/9/2009 6:50:00PM	13	9.9	ug/L	I
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	9/9/2009 6:50:00PM	3.8	3.8	ug/L	U
032104	Bromoform	N	E84282	8260B	9/9/2009 6:50:00PM	0.58	0.58	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	9/9/2009 6:50:00PM	8.4	8.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	9/9/2009 6:50:00PM	0.52	0.52	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.57	0.57	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.52	0.52	ug/L	U
001051	Lead	N	E87052	6020	9/3/2009 8:25:00PM	0.2	0.2	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	9/9/2009 6:50:00PM	0.85	0.85	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	9/9/2009 6:50:00PM	0.5	0.5	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	9/9/2009 6:50:00PM	0.44	0.44	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	9/9/2009 6:50:00PM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.63	0.63	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859

Sample Date/Time: 8/28/2009 9:30:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Equipment Blank

Permitted

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Well Type:

(AS) Assessment	(IW) Irrigation Well
(BG) Background	(OT) Other
(CO) Compliance	(PZ) Piezometer
(DE) Detection	(SO) Source
(DG) Downgradient	(UP) Upgradient
(IM) Intermediate	(WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034506	1,1,1-Trichloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.46	0.46	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	9/9/2009 6:50:00PM	0.47	0.47	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	9/9/2009 6:50:00PM	0.45	0.45	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	9/9/2009 6:50:00PM	0.18	0.18	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	9/9/2009 6:50:00PM	2.5	2.5	ug/L	U

Total Parameters Monitored: 49

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22013
 WACS Testsite Name: MW-13
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 8/28/2009 2:10:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000406	Field pH	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	5.2		SU	
034496	1,1-Dichloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.75	0.52	ug/L	I
034536	1,2-Dichlorobenzene	N	E84282	8260B	9/3/2009 4:32:00PM	0.44	0.44	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.15	0.15	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.46	0.46	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.63	0.63	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	106.58		ft	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	2.25		mg/L	
077041	Carbon disulfide	N	E84282	8260B	9/3/2009 4:32:00PM	0.85	0.85	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	9/3/2009 4:32:00PM	0.45	0.45	ug/L	U
082079	Turbidity	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	6.69		NTU	
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.57	0.57	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	9/3/2009 4:32:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	9/3/2009 4:32:00PM	3.3	0.52	ug/L	
081595	2-Butanone (MEK)	N	E84282	8260B	9/3/2009 4:32:00PM	8.4	8.4	ug/L	U
077103	2-Hexanone	N	E84282	8260B	9/3/2009 4:32:00PM	4.4	4.4	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	9/3/2009 4:32:00PM	3.8	3.8	ug/L	U
081552	Acetone	N	E84282	8260B	9/3/2009 4:32:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	9/3/2009 4:32:00PM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	9/3/2009 4:32:00PM	0.51	0.5	ug/L	I
034413	Bromomethane	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
077128	Styrene	N	E84282	8260B	9/3/2009 4:32:00PM	0.98	0.98	ug/L	U
032104	Bromoform	N	E84282	8260B	9/3/2009 4:32:00PM	0.58	0.58	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	9/3/2009 4:32:00PM	0.44	0.44	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	67		umhos/cm	
034311	Chloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.47	0.47	ug/L	U
077596	Dibromomethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.41	0.41	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 4:32:00PM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 4:32:00PM	2.7	0.65	ug/L	
073085	Chlorobromomethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.58	0.58	ug/L	U
032106	Chloroform	N	E84282	8260B	9/3/2009 4:32:00PM	0.9	0.9	ug/L	U
032105	Chlorodibromomethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.34	0.34	ug/L	U
039180	Trichloroethene	N	E84282	8260B	9/3/2009 4:32:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E84282	8260B	9/3/2009 4:32:00PM	0.51	0.51	ug/L	U
032101	Dichlorobromomethane	N	E84282	8260B	9/3/2009 4:32:00PM	0.35	0.35	ug/L	U
034418	Chloromethane	N	E84282	8260B	9/3/2009 4:32:00PM	1	1	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	9/3/2009 4:32:00PM	0.5	0.5	ug/L	U
077424	Iodomethane	N	E84282	8260B	9/3/2009 4:32:00PM	2.5	2.5	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	9/3/2009 4:32:00PM	4	4	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	9/3/2009 4:32:00PM	1.5	1.5	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
 WACS Testsite ID #: 22013
 WACS Testsite Name: MW-13
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 8/28/2009 2:10:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034475	Tetrachloroethene	N	E84282	8260B	9/3/2009 4:32:00PM	0.5	0.5	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 4:32:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 4:32:00PM	0.14	0.14	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	9/3/2009 4:32:00PM	0.5	0.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	9/3/2009 4:32:00PM	1.7	0.5	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	9/3/2009 4:32:00PM	0.42	0.42	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	9/3/2009 4:32:00PM	0.18	0.18	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	9/3/2009 4:32:00PM	0.63	0.63	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	8/28/2009 2:10:00PM	24.2		Degrees C	

Total Parameters Monitored: 53

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22010
 WACS Testsite Name: MW-10
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 8/28/2009 3:48:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
000010	Field Temperature	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	25.6		Degrees C	
032102	Carbon tetrachloride	N	E84282	8260B	9/3/2009 5:09:00PM	0.42	0.42	ug/L	U
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	2.13		mg/L	
082079	Turbidity	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	175		NTU	
072020	Water Level	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	107.54		ft	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.63	0.63	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.46	0.46	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.15	0.15	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	1.7	0.52	ug/L	
034531	1,2-Dichloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.57	0.57	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	9/3/2009 5:09:00PM	0.18	0.18	ug/L	U
001049	Lead	Y	E87052	6020	9/3/2009 8:52:00PM	0.2	0.2	ug/L	U
081552	Acetone	N	E84282	8260B	9/3/2009 5:09:00PM	9.9	9.9	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	9/3/2009 5:09:00PM	0.44	0.44	ug/L	U
034413	Bromomethane	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	9/3/2009 5:09:00PM	0.85	0.85	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	9/3/2009 5:09:00PM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	9/3/2009 5:09:00PM	2.2	0.5	ug/L	
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	9/3/2009 5:09:00PM	3.8	3.8	ug/L	U
077103	2-Hexanone	N	E84282	8260B	9/3/2009 5:09:00PM	4.4	4.4	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	9/3/2009 5:09:00PM	8.4	8.4	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	9/3/2009 5:09:00PM	7.4	0.52	ug/L	
034541	1,2-Dichloropropane	N	E84282	8260B	9/3/2009 5:09:00PM	0.52	0.52	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	9/3/2009 5:09:00PM	0.45	0.45	ug/L	U
077128	Styrene	N	E84282	8260B	9/3/2009 5:09:00PM	0.98	0.98	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.58	0.58	ug/L	U
032105	Chlorodibromomethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.34	0.34	ug/L	U
034311	Chloroethane	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
032106	Chloroform	N	E84282	8260B	9/3/2009 5:09:00PM	0.9	0.9	ug/L	U
034418	Chloromethane	N	E84282	8260B	9/3/2009 5:09:00PM	1	1	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 5:09:00PM	8.3	0.65	ug/L	
034704	cis-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 5:09:00PM	0.14	0.14	ug/L	U
077596	Dibromomethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.41	0.41	ug/L	U
032101	Dichlorobromomethane	N	E84282	8260B	9/3/2009 5:09:00PM	0.35	0.35	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	9/3/2009 5:09:00PM	0.44	0.44	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	9/3/2009 5:09:00PM	0.5	0.5	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	9/3/2009 5:09:00PM	5.4	4	ug/L	
034301	Chlorobenzene	N	E84282	8260B	9/3/2009 5:09:00PM	0.79	0.63	ug/L	I
000406	Field pH	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	3.86		SU	
001045	Iron	N	E87052	6020	9/3/2009 8:45:00PM	3800	33	ug/L	
034010	Toluene	N	E84282	8260B	9/3/2009 5:09:00PM	0.51	0.51	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 5:09:00PM	0.44	0.44	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
WACS Testsite ID #: 22010
WACS Testsite Name: MW-10
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 8/28/2009 3:48:00PM
Sampling Method: Submersible Pump
Permitted
Well Type: CO

(AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034699	trans-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 5:09:00PM	0.14	0.14	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	9/3/2009 5:09:00PM	0.53	0.5	ug/L	I
034488	Trichlorofluoromethane	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	9/3/2009 5:09:00PM	1.5	1.5	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	9/3/2009 5:09:00PM	5	0.5	ug/L	
081551	Xylenes, Total	N	E84282	8260B	9/3/2009 5:09:00PM	8.7	0.5	ug/L	
001051	Lead	N	E87052	6020	9/3/2009 8:45:00PM	2.1	0.2	ug/L	
001046	Iron	Y	E87052	6020	9/3/2009 8:52:00PM	3000	33	ug/L	
077424	Iodomethane	N	E84282	8260B	9/3/2009 5:09:00PM	2.5	2.5	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	8/28/2009 3:48:00PM	45		umhos/cm	
032104	Bromoform	N	E84282	8260B	9/3/2009 5:09:00PM	0.58	0.58	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	9/3/2009 5:09:00PM	0.52	0.5	ug/L	I

Total Parameters Monitored: 57

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22015
 WACS Testsite Name: MW-15
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 8/28/2009 3:09:00PM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034423	Methylene Chloride	N	E84282	8260B	9/3/2009 5:27:00PM	4	4	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	9/3/2009 5:27:00PM	0.5	0.5	ug/L	JU
034531	1,2-Dichloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.57	0.57	ug/L	JU
000406	Field pH	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	3.61		SU	
081551	Xylenes, Total	N	E84282	8260B	9/3/2009 5:27:00PM	0.71	0.5	ug/L	I
039175	Vinyl chloride	N	E84282	8260B	9/3/2009 5:27:00PM	1.2	0.5	ug/L	J
077057	Vinyl acetate	N	E84282	8260B	9/3/2009 5:27:00PM	1.5	1.5	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	U
039180	Trichloroethene	N	E84282	8260B	9/3/2009 5:27:00PM	1.4	0.5	ug/L	
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	JU
034699	trans-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 5:27:00PM	0.14	0.14	ug/L	JU
034546	trans-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 5:27:00PM	0.44	0.44	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.52	0.52	ug/L	U
077424	Iodomethane	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	JU
032106	Chloroform	N	E84282	8260B	9/3/2009 5:27:00PM	0.9	0.9	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	9/3/2009 5:27:00PM	0.63	0.63	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	9/3/2009 5:27:00PM	0.44	0.44	ug/L	U
032101	Dichlorobromomethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.35	0.35	ug/L	JU
077596	Dibromomethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.41	0.41	ug/L	JU
034571	1,4-Dichlorobenzene	N	E84282	8260B	9/3/2009 5:27:00PM	0.59	0.52	ug/L	IJ
034475	Tetrachloroethene	N	E84282	8260B	9/3/2009 5:27:00PM	0.5	0.5	ug/L	JU
073085	Chlorobromomethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.58	0.58	ug/L	U
032105	Chlorodibromomethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.34	0.34	ug/L	JU
034311	Chloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	U
034418	Chloromethane	N	E84282	8260B	9/3/2009 5:27:00PM	1	1	ug/L	U
034010	Toluene	N	E84282	8260B	9/3/2009 5:27:00PM	0.51	0.51	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	9/3/2009 5:27:00PM	0.52	0.52	ug/L	JU
077093	cis-1,2-Dichloroethene	N	E84282	8260B	9/3/2009 5:27:00PM	4.3	0.65	ug/L	
000010	Field Temperature	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	23.3		Degrees C	
034536	1,2-Dichlorobenzene	N	E84282	8260B	9/3/2009 5:27:00PM	0.44	0.44	ug/L	JU
081595	2-Butanone (MEK)	N	E84282	8260B	9/3/2009 5:27:00PM	8.4	8.4	ug/L	JU
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	9/3/2009 5:27:00PM	3.8	3.8	ug/L	JU
081552	Acetone	N	E84282	8260B	9/3/2009 5:27:00PM	9.9	9.9	ug/L	JU
034215	Acrylonitrile	N	E84282	8260B	9/3/2009 5:27:00PM	1.2	1.2	ug/L	U
032104	Bromoform	N	E84282	8260B	9/3/2009 5:27:00PM	0.58	0.58	ug/L	JU
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.15	0.15	ug/L	JU
034413	Bromomethane	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	9/3/2009 5:27:00PM	0.85	0.85	ug/L	U
078124	Benzene	N	E84282	8260B	9/3/2009 5:27:00PM	0.53	0.5	ug/L	I
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	9/3/2009 5:27:00PM	2.5	2.5	ug/L	JU
082079	Turbidity	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	2.04		NTU	
077443	1,2,3-Trichloropropane	N	E84282	8260B	9/3/2009 5:27:00PM	0.18	0.18	ug/L	JU
034704	cis-1,3-Dichloropropene	N	E84282	8260B	9/3/2009 5:27:00PM	0.14	0.14	ug/L	JU
077103	2-Hexanone	N	E84282	8260B	9/3/2009 5:27:00PM	4.4	4.4	ug/L	JU

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859
WACS Testsite ID #: 22015
WACS Testsite Name: MW-15
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 8/28/2009 3:09:00PM
Sampling Method: Submersible Pump
Permitted
Well Type: CO

(AS) Assessment (IW) Irrigation Well
(BG) Background (OT) Other
(CO) Compliance (PZ) Piezometer
(DE) Detection (SO) Source
(DG) Downgradient (UP) Upgradient
(IM) Intermediate (WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077128	Styrene	N	E84282	8260B	9/3/2009 5:27:00PM	0.98	0.98	ug/L	U
000094	Specific Conductance	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	32		umhos/cm	
032102	Carbon tetrachloride	N	E84282	8260B	9/3/2009 5:27:00PM	0.42	0.42	ug/L	U
072020	Water Level	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	118.2		ft	
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.63	0.63	ug/L	JU
034506	1,1,1-Trichloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.46	0.46	ug/L	U
034511	1,1,2-Trichloroethane	N	E84282	8260B	9/3/2009 5:27:00PM	0.47	0.47	ug/L	JU
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	8/28/2009 3:09:00PM	0.87		mg/L	
034501	1,1-Dichloroethene	N	E84282	8260B	9/3/2009 5:27:00PM	0.45	0.45	ug/L	U

Total Parameters Monitored: 53

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 39859

Sample Date/Time: 8/28/2009 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Trip Blank

Permitted _____

Water Classification:

(i.e.: LC - Leachate, G-II, SW-III(F))

Well Type: _____

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to
 Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034511	1,1,2-Trichloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.47	0.47	ug/L	U
034496	1,1-Dichloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.52	0.52	ug/L	U
034571	1,4-Dichlorobenzene	N	E84282	8260B	9/9/2009 1:45:00PM	0.52	0.52	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.15	0.15	ug/L	U
034506	1,1,1-Trichloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.46	0.46	ug/L	U
077562	1,1,1,2-Tetrachloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.63	0.63	ug/L	U
038437	1,2-Dibromo-3-Chloropropane	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
081596	4-Methyl-2-pentanone (MIBK)	N	E84282	8260B	9/9/2009 1:45:00PM	3.8	3.8	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
081551	Xylenes, Total	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U
077443	1,2,3-Trichloropropane	N	E84282	8260B	9/9/2009 1:45:00PM	0.18	0.18	ug/L	U
077041	Carbon disulfide	N	E84282	8260B	9/9/2009 1:45:00PM	0.85	0.85	ug/L	U
034536	1,2-Dichlorobenzene	N	E84282	8260B	9/9/2009 1:45:00PM	0.44	0.44	ug/L	U
034541	1,2-Dichloropropane	N	E84282	8260B	9/9/2009 1:45:00PM	0.52	0.52	ug/L	U
077103	2-Hexanone	N	E84282	8260B	9/9/2009 1:45:00PM	4.4	4.4	ug/L	U
081552	Acetone	N	E84282	8260B	9/9/2009 1:45:00PM	9.9	9.9	ug/L	U
034215	Acrylonitrile	N	E84282	8260B	9/9/2009 1:45:00PM	1.2	1.2	ug/L	U
078124	Benzene	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U
032104	Bromoform	N	E84282	8260B	9/9/2009 1:45:00PM	0.58	0.58	ug/L	U
039175	Vinyl chloride	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U
032105	Chlorodibromomethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.34	0.34	ug/L	U
034413	Bromomethane	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
081595	2-Butanone (MEK)	N	E84282	8260B	9/9/2009 1:45:00PM	8.4	8.4	ug/L	U
077128	Styrene	N	E84282	8260B	9/9/2009 1:45:00PM	0.98	0.98	ug/L	U
034501	1,1-Dichloroethene	N	E84282	8260B	9/9/2009 1:45:00PM	0.45	0.45	ug/L	U
034301	Chlorobenzene	N	E84282	8260B	9/9/2009 1:45:00PM	0.63	0.63	ug/L	U
032101	Dichlorobromomethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.35	0.35	ug/L	U
077596	Dibromomethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.41	0.41	ug/L	U
034704	cis-1,3-Dichloropropene	N	E84282	8260B	9/9/2009 1:45:00PM	0.14	0.14	ug/L	U
077093	cis-1,2-Dichloroethene	N	E84282	8260B	9/9/2009 1:45:00PM	0.65	0.65	ug/L	U
034418	Chloromethane	N	E84282	8260B	9/9/2009 1:45:00PM	1	1	ug/L	U
032106	Chloroform	N	E84282	8260B	9/9/2009 1:45:00PM	0.9	0.9	ug/L	U
034311	Chloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
073085	Chlorobromomethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.58	0.58	ug/L	U
034371	Ethylbenzene	N	E84282	8260B	9/9/2009 1:45:00PM	0.44	0.44	ug/L	U
034488	Trichlorofluoromethane	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
077424	Iodomethane	N	E84282	8260B	9/9/2009 1:45:00PM	2.5	2.5	ug/L	U
034423	Methylene Chloride	N	E84282	8260B	9/9/2009 1:45:00PM	4	4	ug/L	U
077057	Vinyl acetate	N	E84282	8260B	9/9/2009 1:45:00PM	1.5	1.5	ug/L	U
034475	Tetrachloroethene	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U
034010	Toluene	N	E84282	8260B	9/9/2009 1:45:00PM	0.51	0.51	ug/L	U
034546	trans-1,2-Dichloroethene	N	E84282	8260B	9/9/2009 1:45:00PM	0.44	0.44	ug/L	U
034699	trans-1,3-Dichloropropene	N	E84282	8260B	9/9/2009 1:45:00PM	0.14	0.14	ug/L	U
032102	Carbon tetrachloride	N	E84282	8260B	9/9/2009 1:45:00PM	0.42	0.42	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 10/22/2009

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 39859

Sample Date/Time: 8/28/2009 12:00:00AM

WACS Testsite ID #: _____

Sampling Method: _____

WACS Testsite Name: Trip Blank

Permitted

Water Classification:
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Well Type:

(AS) Assessment	(IW) Irrigation Well
(BG) Background	(OT) Other
(CO) Compliance	(PZ) Piezometer
(DE) Detection	(SO) Source
(DG) Downgradient	(UP) Upgradient
(IM) Intermediate	(WS) Water Supply

* Well Purged prior to
Sample Collection? (Y/N):

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U
034531	1,2-Dichloroethane	N	E84282	8260B	9/9/2009 1:45:00PM	0.57	0.57	ug/L	U
077651	Ethylene Dibromide	N	E84282	8260B	9/9/2009 1:45:00PM	0.5	0.5	ug/L	U

Total Parameters Monitored: 47

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Citrus County Central Landfill

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 39859
 WACS Testsite ID #: 22010
 WACS Testsite Name: MW-10 filtered
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 8/28/2009 12:00:00AM
 Sampling Method: Submersible Pump
 Permitted
 Well Type: CO

(AS) Assessment (IW) Irrigation Well
 (BG) Background (OT) Other
 (CO) Compliance (PZ) Piezometer
 (DE) Detection (SO) Source
 (DG) Downgradient (UP) Upgradient
 (IM) Intermediate (WS) Water Supply

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
082079	Turbidity	N	E84282	DEP-SOP	8/28/2009 12:00:00AM	1.66		NTU	
000094	Specific Conductance	N	E84282	DEP-SOP	8/28/2009 12:00:00AM	46		umhos/cm	
000299	Oxygen, Dissolved	N	E84282	DEP-SOP	8/28/2009 12:00:00AM	2.54		mg/L	
000010	Field Temperature	N	E84282	DEP-SOP	8/28/2009 12:00:00AM	26		Degrees C	
000406	Field pH	N	E84282	DEP-SOP	8/28/2009 12:00:00AM	3.82		SU	

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.